CONFIDENTIAL

1950

File No. S - 40

P.W. DEPARTMENT

C CLASS

E 13 BRANCH II

Subject:— Complaints.

against P.W.D. officers.

P 85 E.

C [K]

File No. S - 40 - E 13 II

Ed. Scott. Slip. 24 A

G.R., G D., No. 2408, dated 22-6-22.]

Correspondence

DOCKET SHEET (B)

Subject :—

File No._____

_____ **DEPT.**

_____ **BRANCH.**

References :—

Split up Region wise G.K.

Date.	To whom sent.	Notes and instructions.

63

S.40/24637

E.B.(II).

P.W.D

One S.E., S.G.C. espedited under No. S.40/24637-E(II), dated the 19th May 1950

WRS
18-5-50.

ISSUED
on 19/5/50

E.B.(II).

One S.E., S.G.C. espedited under No. S.40/24637-E(II), dated the 28th June 1950.

WRS
28-6-50.

28-6-50

S.40/24637 ~~S~~ for 64

E.B.(II). A.W.D.

The S.E., S.G.C. expedited under No. S.40/24637-E(II), dated the 1st July 1950.
1st August

KBS
31-7-50.

Received 1/8/50

~~The S.E., S.G.C. expedited for the fourth time under No. S.40/24637-E(II), dated the Sept. 1950.~~

~~KBS~~
~~4-9-50.~~

65 TG

E.B.(II). S.40/24637

P.W.D.

The S.E., S.G.C. has not yet forwarded the report called for in his E.No.S.40/24637-E(II), P.6 dated the 4-4-50 inspite of three reminders. He may, therefore, be expedited as per printed special reminder put up for favours of signature. The D.S. will please fill in the date in para 2, on which a reply may be expected.

21.9.50.

D 12/9/19

6-9-50.

D.S.

No reminder has been put up to me ~~in the matter~~ which dealt with this,

1976—2,500—5-48—N4
G. R., G. D., No. 4406, dated 9-7-12.]

No. 3.40/2463 (E&E) of 194

Public Works Department

Bombay Castle, 12th Sept 1950



To the superintending Engineer, South Gujarat Circle.

Subject:— Mal-practices carried on by Shri Khimani, Head Clerk in the Road Project Office.

Sir,

I am directed to invite attention to Government endorsement-

No. 3.40/2463 (E&E), dated the 4-4-50.

noted in the margin, and to request that Government may be informed, on the reverse, of the cause of delay in furnishing your report and of the approximate date on which a reply may be expected.

2. I am to request that the reply to this reminder may be sent not later than the 21st September 1950.

~~I have the honour to be,~~
~~Sir,~~
~~Your most obedient Servant,~~
Yours faithfully,
B. [illegible]
Deputy Secretary to the Government of Bombay
Public Works Department.

PREVIOUS REMINDER:

No. , dated 194

REPLY

No. 6388, dated 15-9-50 194

To

The Secretary to Government,

Public Works Department.
Bombay.

Returned with compliments.

The reference in question is being disposed of under this office No. 6387, dated 15-9-50.

Superintending Engineer,
South Gujarat Circle, Baroda.

MAS.

Through

The Chief Engineer to Government, P.W.D.,
Bombay, W.cs.

For disposal pl. see S/L
No. ~~78019~~ 77088.



13 4 63

CONFIDENTIAL. No.C/153 of 1950.
Office of the Executive Engineer,
Broach, dated, 4/5/50.

To
The Superintending Engineer,
South Gujarat Circle, ~~Baroda~~ Surat.

Subject:-Annonymus application No.Nil
dated Nil against Shree D.M.Khemani.

Reference:-Your No.C/25 of 5-4-50.

Shree Barat Deputy Engineer, was entrusted to make full inquiry by calling both the sweeper and water bearer. He reported that the allegations made are baseless. The facts outcoming as a result of inquiry reveals that these inferior servants are in habit of taking pecuniary help from the office members which are returned on receipt of their wages. This is a case of that nature and the statement in writing regarding above baseless allegation have been obtained from the parties concerned and kept on record. This case falls within the purview of press note issued by Government and hence the papers be filed please.

Original application is returned herewith.

D.A.Original
application.

Sd/-K.D.Desai.
Executive Engineer,
Broach Division.

True copy,

H.K.Joshi

Head clerk to
S.E.C.G.C.Baroda.

71 15 + 7 6387

No. of 1950.
Office of the Superintending Engineer,
South Gujarat Circle, P.W.D., Baroda,
Dated, the, 15 September 1950.

To

The Secretary to Government,
Public Works Department,
Bombay.

Subject:- The mal-practices carried out by Shri Khemani, Head clerk in the Road Project Office.

Reference:-G.M., P.W.D. No.S.40/24637-E(II) dated 4.4.50 & subsequent reminders dated 19-5-50 and 18-8-50.

2/- A copy of the Executive Engineer, Broach Division's Confidential report No.C/153 dated 4.5.50 in this connection is forwarded herewith for information and favour of disposal. The Executive Engineer's report misses one point regarding T.A. claimed by Shri Khemani for his family from Pakistan to India. I am asking the Executive Engineer to make inquiries in this respect and submit further report in the matter.

Encl:- 1 copy.
1 G.M.& Accompt.

Superintending Engineer,
South Gujarat Circle, Baroda.

Through
The Chief Engineer to
Govt., P.W.D., Bombay, W.cs.

(P.T.O.)

S-40 / 77047 / 77088. -12

Copy f.w.cs. to the Executive Engineer, Broach Division, Broach for early report on the missing point with reference to his No.J/213 dated 24.8.50.

E.B.(II). P.W.D.

Further report from the S.E., S.G.C., may be awaited.

27/9/50.

E.B.(II) 26/9/50.

S. E., S. G. C., has not explained the cause of delay, vide Special Reminder dated the 12-9-50.

27/9/50

P. W. D. File No. S-40 Piece No. 77088

Pg 73

S-40-
77088..

E.B.(II).

P.W.D.

The S.E., S.G.C., has been expedited under No. S-40/77088-E(II), D/the 29-11-50

ISSUED
29/11

29/11/50.

The S.E.S.G.C., has been expedited again under No. S-40/77088-E(II) D/the 11-1-51.

8/1/51.

The S. E. S. G. C. expedited again vide No. S. 40/77088-E(II), dated the 19-2-1951

ISSUED
H 1 51 P

Issued 19/2/51

19/2/51

The S.G. S.G.C. has been expedited under No. S.40/77047, dt the 28th March 1951

Issued
28/3/51

75 21 S.40/77088.

P.W.D.

F. Br.

The further report promised by the S.E., S.G.C., in his letter at p. 17 ante has not yet been received. The S.E. may be expedited as per printed special reminder put up for signature. The D.S. will please fill in the date in para. 2 of the Spl. Reminder by which date the reply may be expected.

× attached overleaf

× 20-5-1951.

2/5/51

kjy/5/51

D.S

315

315

To,

The Executive Engineer
Broach Division

Subject:- The Mal practices carried out by Shri Khemani Head Clerk of R.P.Sub-Division,Broach

Ref:-Your confidential No.C/246 dated 27-12-50.

Sir,

I respectfully beg to state that I had brought my wife & two sons from Pakistan to India.

My wife has ~~expired~~ expired in India at Baroda Camp.

My elder brother and I had married in Sind Pakistan,wives of both being sisters. My wife died leaving 2 sons in childhood. When I married second wife in Pakistan,the aunt of the children (i.e. my elder brother's wife) did not like the children of her sister to be looked after by my second wife and she looked after them.

My elder brother has no issue and my sons remain with him from young age,though as a father I also contribute to their livelihhod and when the whole family of our 4 brothers migrated to India,I as a father contributed towards the expenses of their fares etc.

As present I am widow as both my wives died and as such I do not keep my sons with me as I passing hard life in hotels etc

The above facts I have submitted to your Honour for your decision,in the matter.

Your most obedient servant.

(D.M.Khemani) 14/1/51
Clerk

Through,
The Proper Channel.

Confidential.

No;C/ 102 of '51.
Office of the Superintending Engineer,
South Gujarat Circle, P.W.D., Baroda.,
Dated the 17 May 1951.

To

The Chief Engineer to Government,
Public Works Department,
Bombay-1.

Subject:- Mal-Practices carried on by Shri. D.M.Khemani, Clerk in Road Project Sub-Division,Broach.

Reference:- His Office No:6387 dated 15/9/50 and Government Reminder No:S.40/77088 dated 4/5/51.

It was not possible for this Office to verify whether Shri. Khemani Clerk had actually brought his family or otherwise beyond a Certificate given by him on his T.T.A.Journal to that effect in support of his claim for his wife and two sons aged 13 and 7 respectively. However a written statement obtained and submitted by the Executive Engineer, Broach is enclosed herewith for favour of perusal.

2/- The T.T.A.Journal of Shri. Khemani, Clerk submitted by the Executive Engineer, Broach Division, to the Accountant General, Bombay, through this Office is kept pending the final decision of the case.

Encl:-
1 Statement.

Superintending Engineer,
South Gujarat Circle.

KRP/14/5/

S-40/43799

E.R.

- Awaiting

PWD

P. W. D.
S.40
Serial No. 43799

81 27 S. 40/43799

F.Be. P.W.D.

In the anonymous letter at pp 1-4 ante it is reported that Shri Khemani, Head Clerk in the Broach Dn., had prepared false transfer T.A. bills for coming from Pakistan to India. It is said that though he came alone he has preferred claims in respect of his wife and children. It is also alleged that Shri Khemani recovers money from the wages of inferior servants and that he is in the habit of preparing false tender bills and receiving illegal gratification from contractors. The Ex. Engr., Broach Dn. p15 states that an enquiry into the facts of the case reveals that the allegations are baseless. As regards the transfer T.A. bills the S.E., S.G.C. p25 states that it is not possible to verify whether Shri Khemani actually brought his family to India, beyond a Certificate to that effect in support of his claim. The S.E. forwards a written p23 statement ...

~~28~~

statement by Shri Khemani that he brought his family to India. No further action is necy. on these pps. as the letter at pp. 1-4 ante is anonymous.

15/6/51

15/6/51

D.S.

C.E.

S. 40/29702

[Below ~~xxxxxxxxx~~ letter dt. the 3-6-48 from the Secy., P.W.D. Sub-Dn., Dharwar, and its accompts. re: complaints against P.W.D. Staff at Dharwar.]

No. S.40/29902-E(II).

P.W.D.,
B.C., the 17th June 1948

Forwarded to the S.E., S.C., for ~~xxx~~ urgent report

By order etc.

D.R.O.
17-6-48.

C.E.
17/6/48.

19/6/48 and D/6

To.

The Honourable Minister
P.W.D. Bombay.

I beg to bring to Your Honour's kind notice that I had submitted an application on 9-1-48 and on 18-2-48 regarding allegations on Mr. N.A.M. Desai, P.W.D. Maistry. The anticorruption people raided his house and attached ~~and attached~~ Government materials. They have attached the bills and requisitions and other documents pertaining to this case. As they are very new to the accounts of the P.W.D. they have approached the Accountant General for verifying the accounts. The result was not known so far.

When Mr. Desai's house was raided, the Government materials were found and Mr. Desai has admitted.

I here all other cases on him, which were proved and Mr. Desai himself admitted that he had done that.

One Mr. Latnekar Deputy Engineer's Special Building Construction Sub-Division Dharwar house was searched and Government properties were found out and Government Coolies were cought red handed doing his private work.

It is also learnt that some of the Engineers viz Messrs. D.N. Kikeri, G.B. Bagul and some Karkuns have been entahgled in this case but no action has been taken against all these people. All these people are still in service and they have not suspended when it is known that the case is proved.

There is also another case against one Mr. R.T. Hegde, Store Clerk in Dharwar Sub-Division. Some of the cement bags were removed from the store without his knowledge and without proper inquiry he was held responsible and he was made to pay the cost of the bags. It is also learnt that some amount from his pay were recovered and more than half the cost was recovered. He has been asked to pay Rs. 800/-. Is rule permits to recover from the pay, a man getting pay below Rs. 100/- Is there no justice. It is also learnt that under great pressure, the Sub-Divisional Officer made him to give in writing that he would make good the loss and promised that he would pay the amount and will see that nothing will be done to him. Being very poor, and looking to the future prospects of his children, he consented. If any adverse circumstances come to his lot who will be responsible for his miserable life? This may be enquired and he may kindly be saved.

Notices were issued to the coolies that the muster is discontinued and they should find their own way. After a month or so again they have taken some other coolies on Muster Roll and have started their own business of getting money. Will the Honourable Minister look up to these things and give justice and communicate the results early.

Dharwar.
3.6.48.

Yours faithfully,
M.S. Tibeli
Sd/- x x x
Secretary,
P.W.D.-Sub-Division, Dharwar.

P.T.O.

87 5

No.18(d) Office of the Assitant Engineer,
Dharwar, 3rd April 1948.

All coolies on Head Quarter section are herewith informed that the turn out by departmental work is not found to be commensurate and it is proposed to carry out all those works by piece work system. Hence it is no more necessary to maintain the coolies on Muster Roll from 6th April 1948. The coolies are informed that they will be given work on rate-list if they quote lowest rates in answer to public notice (calling for such quotations) issued from this office.

Sd/- x x x
Assistant Engineer, Dharwar.

Copy forwarded with compliments, to the Executive Engineer, D.Dn., for favour of information. As his personal instructions the coolies are removed and all the work will be done through piece works.

Copy to Sedtional Overseer Head Quarters for compliance. The notice should be read to all the coolies and explained to them.

Letter.

From

The Superintending Engineer,
Southern Circle.

To

The Secretary to Government
Public Works Department,
B O M B A Y.

CONFIDENTIAL
No.G-14.

Public Works Department,
Belgaum, 5th July 1948.

Subject:- Complaints against P.W.D. Staff at Dharwar.

Reference:- Government Endorsement (P.W.D.) No.S-40/29902-E(II), dated the 18th June 1948.

With reference to the compalints made against the P.W.D. staff at Dharwar in the letter received with the Government Endorsement under reference I have to submit an interim report as under :-

(1) Complaint against Mr. N.A.M.Desai, Maistry

The case against Mr. N.A.M.Desai, Maistry, is under investigation by the Anti Corruption Branch since January 1948, vide this office endorsement No.G-14,(Confidential), dated the 26th January 1948, and the result will be reported when known. The investigations are reported to be still in progress.

(2) Complaint against Mr. S.K.Latnekar, Dy.Engr.

The case against Mr. Latenkar, Deputy Engineer is also under investigation, by the Anti Corruption Branch and the result will be communicated when known.

(3) Complaints against M/S D.N.Kikeri and G.B.Bagul, Engineers.

I do not know whether these Engineers are involved in the above anti-corruption case. However the Anti Corruption Branch will bring it to notice, if it be so.

(4) Compalint against Mr. R.T.Hegde, Store Clerk.

A regular enquiry with a charge sheet has been made by the Executive Engineer in connection with the case of shortage of cement and the case papers have been received by me. As I want to make some further enquiry in the matter personally I have kept the papers pending with me. I will go over to Dharwar and make the enquiry probably in the 4th week of July or so.

(5) Complaint regarding the notices of discharge issued to coolies.

I will investigate this matter also personally at Dharwar along with the case noted in (4) above.

2....

2. As the complaint-application has been received here in original and as the above remarks will not be intelligible without it, a copy of it is submitted herewith. As the report is likely to take some time I have made the above interim report.

M. C. Bulsara

VDK. Superintending Engineer, S.C.

P. W. D.
File No. S·40
Serial No. 36304

S.40/36304.

P.W.D.

E.B (II).

A further report from the S.E., Se., may be awaited. It is presumed that the S.E. will return the original application with the subsequent report.

17/7/48

If no further defect obs in enclosure

Submitted

S.40/36304

E.B (II).

The S.E., &c., expedited under No.
S.40/36304-E (II), of the 18th July 1948.

E. B (II).

The S.E., &c., expedited under No.
S.40/36304-E (II), of the 24th May 1948.

Letter.

From

The Superintending Engineer,
Southern Circle.

To

The Secretary to Government,
Public Works Department,
B O M B A Y.

No.G-14. Public Works Department,
Belgaum, 17th August 1948.

Subject :- Complaints against the P.W.D.Staff.

Reference :- Government Expeditor No.S-40/36304-E(II), dated the 28th July 1948. p.10

Certain information called for from the Executive Engineer, Dharwar Division is awaited. On its' receipt, the Government reference will be disposed of:

17/8.

SDK. Superintending Engineer, S.C.

17/8

S.40/45567

E.B(II).

P.W.D.

Await.

NBJ
30/8/48

Sad
30/8/48

Rec'd - Bl 26-8-48
30/8/48

E(II)2/48



Forms
21/8/48
FP

D.O.No.S.164/26966-Q,
Health and Local Govt. Deptt.,
Bombay Castle, 20th.August,1948.

Reference your letter,No. 330/48, dated 15th August, 1948.

I understand that the question of corruption in the Public Works Department referred to by you is being dealt with in the P.W.D. Secretariat.

I am passing on your letter to me to that Department for disposal. Kindly address that department direct in future.

Sd/- K.B.Kamath

S.H.Jhabwala, Esq.,
President,
The Government Peons' & Inferior Servants' Union, 360 Thakurdwar,
Girgaon, Bombay.

21.8.

+5 - 37.

THE GOVERNMENT PEONS' & INFERIOR SERVANTS' UNION

(FOUNDED-1926)

No. 330/6 of 19

360, Thakurdwar, Girgaon Road,

Bombay 15th August 1948.

Dear Raobahadursaheb,

Your letter to us does not pertain to the actual papers given to you by our Dharwar Secretary when we met in the office of the Hon'ble Minister last. The Dharwar letter is dated 13-7-1948 and it pertains to the point of corruptions in the P.W.D. The said Dharwar letter was signed by M.S.Tibeli. Will you kindly now send us a reply thereto. Please remember that complaint was also given to you.

Yours faithfully,

S. H. Jhabwala

President.



Issue the accompanying letter to Mr.Jhabwala and then pass on the papers u.o. to the P.W.D. for disposal.

2. I do not remember whether Mr.Jhabwala handed over to me the letter referred to at 'A' above. If he did so, I must have passed it on to the P.W.D. I, however, understand from informal enquiries made by this Deptt. that the question referred to by Mr.Jhabwala is separately under consideration in the P.W.D.

Memo

✓ No 15 P.W.D. 1218 31/8

98

P. W. D.
File No. S. 37/42
Serial No. 46207

S.40/46207.

P.W.D.

E. B(II).

A report from the S.E., S.C., may be awaited. He has already been expedited on the 21-8-48.

4/9/48

DNO
4/9/48

22-9-

ISSUED
on 22/9/48

E.B.(II) :

The S.E, S.C. expedited again under No S-40/46207 E(II), dated the 22 Sept. 1948.

21/9/48.

21/9/48

101 47

EXPRESS LETTER.

No.G-14. Public Works Department.
Belgaum, 26 September 1948.

To

The Executive Engineer,
Dharwar Division.

Subject:- Complaint against P.W.D.Staff at Dharwar.

Reference:- This office endorsement No.G-14 (Confidential) dated 17-8-1948.

The report called for should please be - furnished without delay as Government is expediting in the matter.

Superintending Engineer,S.C.

Bt.25/9.

Copy forwarded,with compliments ,to the - Secretary to Government, Public Works Department, Bombay with reference to Government Expeditor No. S-40/46207-A(II)/8 dated the 22nd September 1948.

2. The final reply to Government will be submitted immediately on receipt of reply from the Executive-Engineer, Dharwar Division.

***

S40
53152.

E.B (II)

P.W.D.

Await.

RM
29-9-48

SD
30/9/48

Quart- (I) 18.

20 | 9

E(II) 2819

E.B(II)

The S.E, S.C, expedited under No. S-40/53152-E(II), of the 21th Oct. 1948

RM
20/10/48

P. W. D.
File No. S-40
Serial No. 53152

ISSUED
21/10/48

Forwarded 28/9/48

103 21

Letter.

From

The Superintending Engineer,
Southern Circle.

To

The Secretary to Government,
Public Works Department,
B O M B A Y.

No.G-14.

Public Works Department.
Belgaum, 3rd October 1948.
November

Subject:- Complaints against the P.W.D.Staff.

Reference:- Government Expediter No.S-40/53162-E(II)/4 dated 21-10-48.

The report called for from the Executive Engineer, Dharwar Division is still awaited and he is again being expedited in the matter. Immediately on receipt of his reply, the Government reference will be disposed of.

Superintending Engineer, S.C.

Confidential & Immediate.

Copy forwarded, with compliments, to the Executive Engineer, Dharwar with reference to correspondence resting with this office Express Letter No.G-14 dated the 20th Sept/48

2. The report called for should please be submitted without delay as a fourth reminder has been received from Government.

***

Bt.26/A.

S 40
6052-2

E.B(II).

P.W.D.

avail:
CE
6-11-48.

8/11/48





~~25~~ 105

S40/6080-2

P. W. Deptt.

E.B (II)

The S.E S.C has not yet furnished the final report promised in his letter No. G-14, dated 3-11-48. p21

He may, if approved, be expedited as per draft d.o. letter put up for approval.

3. As the report has been called in June 1948 and not received, it is for consideration whether the papers may be submitted to Hon. P.W.S for information p1

GR 19.11.48

Write d.o. to RS. Nair

19/4

D Secy

Secy to Hon PWD.

for R 15/11

S.40/60852

Confidential

D.O. No. S.40/60852-E(II). P.W.D. Bg. Nov. 1948

N.P. Gupta

dear.

Please refer to the corres. ending with your letter No. G-14/21, dated 8.11.48 re complaints against the P.W.D. Staff at Dharwar. As the report called for in S.M. No. S.40/29902-E(II)/5, dated 18.6.48, has not yet been received, will you please give your personal attention to the matter, so as to ensure the final report reaching Govt without further delay.

Yours

To

N.G.K. Murti, I.S.E.

S.E. S.C.

Belgaum.

GR

24.11.48.

24

D Sarma

Sec (I)

107 25

S.40/6085-2

Confidential

D.O.No. S 40/60852-E (II).

P.W.D./B.C./ 1st Dec. 1948.

Dear

Please refer to the S.E.S.Co endl. No. G-14, dated 6.11.48, expediting you for the final report on the complaints made against the P.W.D Staff at Dharwar. Will you give your personal attention to the matter so as ensure the report called for from the S.E.S.C in G.M No. S 40/29902-E(II) dated 18.6.48, reaching Govt without further undue delay.

Yours

Issued
Sd/ 1/12/48.
Dly.

To R/S. A.G. Naik, B.E. B.S.E(I)
GR 25/11/48. Ex. Engr. Dharwar in Dharwar.

29.105

(Please return this memorandum.)

No. S.40/29902-E(II).
Public Works Department,
Bombay Castle, 18th June 1948.

Subject:- Complaints against Public Works Department staff at Dharwar.

Forwarded to the Superintending Engineer, Southern Circle, for urgent report.

By order of the Governor of Bombay,

D. K. Parmar

for Deputy Secretary to the Government of Bombay, Public Works Department

D.A.- Letter dated the 3rd June 1948, from the Secretary, Public Works Department Sub-Division, Dharwar, and its accompaniments.

2.
RKP.
18-6-48.

19/6

Letter No.G-14

Confidential Executive Engineer's office, Dharwar Dn
Dharwar, 4th December 1948.

To,

The Superintending Engineer,
Southern Circle, Belgaum.



Subject:- Application of Mr. M.S.Tibeli,dated 3rd June 1948 regarding engaging coolies on muster roll at Dharwar,

Reference :- Your endorsement No.G-14,dated the 17th August 1948.

It is reported that some coolies were discharged from the Headquarters Section in February 1948 when the allotments for ---- buildings were exhausted.But they were asked to go on the roads -- where work was available in and near about Dharwar. But only a few went on the roads while others demanded that they should be maintained on building repair works in Dharwar only. This could not be done and they were informed so.

During this year practically all measurable building repair works are done by piece-work through the agency of the cooperative Labour Society and only the items of work which cannot be conveniently measured are carried out by departmental agency. The total number of coolies,carpenters,and masons employed departmentally in each of the two beats at Headquarters is only 12. The Overseer and Karkuns in the Headquarter beats have been transferred long back and on -- personally enquiring with the coolies and recording their statements it is found that the allegations about the staff taking money from them is entirely baseless.

Mr. Tibeli is in the habit of making baseless allegations but is not in a position to prove any.

In view of what is stated above I am opinion that there is no need

need for any further transfer of staff.

Sd. A.G.Naik
Executive Engineer, Dharwar Dn.

Letter

From

The Superintending Engineer,
Southern Circle.

To

The Secretary to Government,
Public Works Department,
B O M B A Y

CONFIDENTIAL

No.G-14.
Public Works Department,
Belgaum, 14 December 1948.

Subject :- Complaints against P.W.D. Staff. p-1

Reference :- Government Endorsement No.S-40/29902-E(II), dated the 18th June 1948 and in continuation of this office letter No.G-14(Confdl), dated the 5th July 1948 p-7

1) Complaints against Mr.N.A.M.Desai, Maistry and S.K.Latnekar, Deputy Engineer.

Both these cases are still under investigation by the Anti Corruption Branch and the result will be communicated when known

(2) Complaint against Mr.R.T.Hegde, Store Clerk.

The Store clerk has been dismissed from service, vide this Office Order No.G-47(Confidential) dated the 14th November 1948, copy already sent to Government.

2 file 11.9814/26 ← Letter file 4/2/1932

(3) Complaint regarding the notices of discharge to coolies. p-23

In this connection a copy of letter No.G-14(Confdl.) dated the 4th December 1948 which explains the real state of affairs as enclosed herewith.

(4) Government Endorsement No.S-40/29902-E(II), dated the 18th June 1948 is returned herewith.

Accompts

1 Govt.Endt. referred to above

sdk.

Superintending Engineer,S.C.
on 9/12

115. ~~33~~

S-40
68943

P. W-D

E-B (II)

Submitted for information.

2. Receipt of a further communication from the S.E. Sc may be awaited

S.A.J.
13-XII-46

Noted

Ack 16/12

117 35

Confidential. D. No. G.14

Executive Engineer's Office,
Dharwar, 15th December 1948.

Dear Maydeo

p-25

Your D.O. No.S-40/60852-E (II)
of 1-12-1948.

The report in question is submitted to the Superintending Engineer, S.C. under this office No.G-14 of 4-12-1948.

Yours sincerely

To

Rao Bahadur A.G.Maydeo, B.A., B.S.C(I)
Deputy Secretary to Government
Public Works Department,
Bombay.

38 118

E-B(II). P. WD

Vide p33

Await.

Sec 21-XII-48 DNO 21/12/48

P. W. D.
File No. 5-40.
Serial No. 70298

~~37~~ 119

S.40
70288

EB (II)

P.W.D.

The S.E. S.C. has been expedited under No. S.40/70288 — 2 (II) dt. 7th Jan. 1949.

ISSUED 24/1/49 24.1.49

Am

39 127

Letter.

From

The Superintending Engineer,
Southern Circle.

To

The Secretary to Government,
Public Works Department,
B O M B A Y.

Confidential.
No.G-14.

Public Works Department.
Belgaum, 28th January 1949.

Subject:- Complaints against P.W.D.Staff. 53

Reference:- Government Expeditor No.S-40/70288-E(II) dated the 24th January 1949.

The cases in question are still under investigation by the Anti-Corruption Branch and the result will be communicated when known.

Superintending Engineer, S.C.

26/1

Bt.

40 122

E.B(II) P.W.D.

Await

S.E.S. 31-1-49 31/1/49

EB(II). P.W.D

The S.E., S.C. has been expedited under No. S.40/6956, E(II), dt the 7/3-Mar. 1949.

QRB 31.1.49.

S-40

6956

EB(II) 31/1/49

ISSUED 7/3/49 31/1/49

Letter

From

The Superintending Engineer,
Southern Circle.

To

The Secretary to Government,
Public Works Department,
B O M B A Y

CONFIDENTIAL
No.G-14.

Public Works Department,
Belgaum, 10th March 1949.

Subject:- Complaints against P.W.D.Staff.

XP40

Reference:- Government Expeditor No.S-40/70288-E(I), dated the 7th March 1949.

As already reported in this office letter No. G-14(Confidential), dated the 28th January 1949, the cases in question are still under investigation by the Anti Corruption Branch and the result will be communicated when known.

VDK.

Superintending Engineer,S.C.

S-40/17364

EB(II) P.W.D.

Await.

A.S.





125 43 S.40/17364.

EB(II) P.W.D.

The S.E., S.C. has been expedited under No. S.40/17364-E(II), dt. 22nd April 49..

Issued 22/4/49

22.4.49.

for S.A.O.

M 7 45

Letter.

From

The Superintending Engineer,
Southern Circle, Belgaum.

To

The Secretary to Government,
Public Works Department, Bombay,

No.G-14. Public Works Department,
Belgaum: 30th April 1949.

Subject: Complaints against P.W.D. Staff.

Reference: Govt. Exp: No.S-40/17364, dated 22-4-49. P.43

The cases are still under investigation by the Anti Corruption Branch and the result will be communicated when known.

4/5/49

S S Deesai

Superintending Engineer, S.C.

===

46 178

P.W.D.

E.B(II).

. Await.

AMB 3/5/49 26/5/49

E.B(III).

S Advcy S-40

The S.E., S.C. has been expedited 29334.
under No S-40/29334-E(III), dt the
. . 16th June 1949.

AMB 16/6/49

16/6/49

Letter.

From

The Superintending Engineer,
Southern Circle.

To

The Secretary to Government,
Public Works Department,
B O M B A Y.

CONFIDENTIAL

No.G-14,
Public Works Department,
Belgaum, 21st June 1949.

Subject:- Complaints against P.W.D.Staff.

Reference:- Government Expeditor No.S-40/29334 -E(II), dated the 16th June 1949.

K 22/6/49

The cases are still under investigation by the Anti- Corruption Branch and the result will be communicated when known.

S S Dutta

VDK.

Superintending Engineer,S.C.

Ref. 130

S-40./40937

P.W.D.

E.13(II).

Await.

BMB
25/6/49

DMB
25/6/49

E.B(II).

The S.E. S.C. has been expedited under No. S-40/40937-E(II), dt the 2nd July 1949.

BMB
26/7/49

P. W. D.
File No. S. 40
Serial No. 40937

E.B (II)

Issued
26.7.49

49 131

Letter.

From

The Superintending Engineer,
Southern Circle.

To

The Secretary to Government,
Public Works Department,
B O M B A Y.

CONFIDENTIAL
No.G-14.//

Public Works Department,
Belgaum, 3rd August 1949.

Subject:- Complaints against the P.W.D.Staff.

Reference:- Government Expeditor No.S-40/40937-E P.45 dated the 26th July 1949.

The cases in question are those in which M/s S.K.Latnekar, Deputy Engineer and N.A.M.Desai, Maistry are involved and are still under correspondence vide this office letter No.G-14(Confidential), dated the 26th July 1949. The copies of the statements referred to therein will be obtained by sending a clerk to the Accountant General's Office and then a final report submitted to Government in due course.

P. 47 O U 2
File No (10017/36) kept below.

4/8/49

VDK.

3/8 Superintending Engineer,S.C.

S-40/51308

P.W.D.

E.B(II).

Await.

6/8/49

4/8/49

S.A.Secy.

6.8.

E.B(II)

The S.E., S.C., expedited under No. S.40/5/308-E(II), dt. The 9th Sept. 1949.

9-9-49.

P. W. D.
File No. S-40
Serial No. 5306

9/9/49

P.C. regarding posting DP

E.B(II)

4/8/49

133 51

Letter.

From

The Superintending Engineer,
Southern Circle.

To

The Secretary to Government,
Public Works Department
Bombay.

CONFIDENTIAL
No. G-14.

Public Works Department,
Belgaum, 13th September 1949.

Subject:- Complaint against the P.W.D.staff.

Reference:- Government expeditor No. S-40/51308-E(II), dated the 9th September 1949.

The copies of statements referred to in this office No. G-14/1, dated the 3rd August 1949 have since been obtained from the Accountant General, Bombay, and sent to the Executive Engineer, Dharwar Division for obtaining explanation of the parties concerned. On receipt of the statements with explanation, further report in the matter will be submitted to Government. The Executive Engineer has been expedited in the matter.

Superintending Engineer, S.C.

NBS

...

S-40/6042S 134

EB(II) P.W.D.

Await

DRB. 15.9.49. DRB 15/9/49

EAS

P. W. D.
File No. S-40
Serial No. 6045

EB(II) P.W.D.

The S.E., S.C. has been expedited under No. S.40/6041 E(II 18th Oct. 1949

DRB. 18.10.49

EB(II)
14/9/49

18/10/49

CONFIDENTIAL.
No.G-14

Public Works Department
Belgaum: 25/10 October 194

From

The Superintending Engineer,
Southern Circle.

To

The Secretary to Government,
Public Works Department
B O M B A Y.

Subject: Complaint against the P.W.D. Staff

Reference: Govt. Expr. No. S-40/60425-E(II) of 18-10-49.

The statements sent to the Executive Engineer, Dharwar Division under this office No.G-14(Confdl.) of 20-8-49 are yet awaited, with the explanations of the parties concerned. He has been expedited.

Superintending Engineer, S.C

GDT.

S-40/70555

EB(II) P.W.D.

Await

28/10/49

28.10.49

EB(II)

The S.E.S.C. has been expedited under No. S-40/70555-E(II), dt. 29th Nov. 1949

29/11/49

28.11.49

P. W. D.
File No. S-40
Serial No. 70555

28/11

EB(II)
27/11/49

CONFIDENTIAL

Letter. 137

Public Works Department
Belagaum 16th December 1949.

No.G-14/1-

To

The Secretary to Government
Public Works Department Bombay.

Subject:- Complaint against P.W.D.Staff.

Referance :- Government Expediter No. S-40/70555-E(II)
dated the 29th November 1949.

The reply is still awaited from the Executive Engineer, Dharwar Dn., who is expedited again.

Superintending Engr. S.C.

PBK.

S-40/86682

EB(II)

P.W.D.

Await

S.E.

P. W. D.
File No. S-40
Serial No. 86682

The S.E. J.S.C. has been expedited
under No. S-40/86682-E(II)
dt. 24th Jan 1950

EB (II)

S - 40 / 8068

14°

EB (II)

P. W. D.

Await

SRB
3.2.50

3/2/50

S.40

8068

The S. E. S. C has been expedited under No. S-40/8068-E (II) dt 7th March 1950

SRB
3.3.50

Issued
7-3-50

2-2-50

141

CONFIDENTIAL.

From

The Superintending Engineer,
Southern Circle.

To

The Secretary to Government,
Public Works Department, Bombay No.1.

No.G-14. LETTER. Public Works Department,
Belgaum: 10-3-1950.

Subject Complaints against P.W.D.Staff.

Reference: Government (Public Works Dept.)
Expeditor No.S-40/8068-E(II)
of 7-3-1950.

The Executive Engineer, Dharwar Division, reports that the decision of the Anti-Corruption Branch is still awaited and will be communicated on receipt. The final report will, therefore, be submitted to Government soon on receipt of the report from the Executive Engineer who is being expedited in the matter.

13/3/50

Superintending Engineer, S. C.

13/3/50

S-40/20137

EB(II)

P.W.D

Read Await

14/3/50

14/3/50

P. W. D.
File No. S.40
Serial No. 20137

EB(II)

P.W.D

The S.E.S.C. has been expedited under No. S-40/2013/- E(II), dt. 14th April 1950

Issued 14-4-50

Confidential.

No.G-14. Public Works Department
Belgaum: 20th -4-1950.

From

The Superintending Engineer,
Southern Circle, Belgaum.

To

The Secretary to Government,
Public Works Department, Bombay No.1.

Subject : Complaints against Public Works Department staff.

Reference: Government, Public Works Department, Expeditor No.S.40/20137-E(II) of 14-4-1950.

The decision of the Anti-Corruption Branch is yet awaited. The Executive Engineer, Dharwar Division, has been instructed to contact with the Anti-Corruption Branch and submit his report as soon as the decision is out.

GRM

Superintending Engineer, S. C.

S-40/31709

EB(II)

P.W.D

Await

24.4.50

20

24/4/50

E. D.
S.40
31709

The S.E.,S.C. has been expedited under No. S-40/31709-E.(II) at the 26th May 1950

25.5.50

26/5/50

E.B(II)
26-5-50

L E T T E R

From

The Superintending Engineer,
Southern Circle, Belgaum.

To

The Secretary to Government,
public Works Department. Bombay No.1.

No. G-14. CONFIDENTIAL Public Works Department,
Belgaum: 18/ June,1950.

Subject : Complaints against Public Works Department staff at Dharwar.

P. → 62

Reference: Government Expeditor No.S.40/31709-E(II) of 26-5-1950.

The report of the Executive Engineer, Dharwar Division is not yet received in the matter. He has been expedited to submit his report early after final decision is taken by the Anti-Corruption Branch.

Sd. K. R. Akerkar

Superintending Engineer, S. C.

31/5

Through: the Chief Engineer to Government,
Public Works Department,
Bombay No.1., with compliments.

15 147

L E T T E R

From

The Superintending Engineer,
Southern Circle, Belgaum.

To

The Secretary to Government,
public Works Department, Bombay No.1.

No.G-14. CONFIDENTIAL Public Works Department,
Belgaum: 18th June,1950.

Subject : Complaints against Public Works Department staff at Dharwar.

P-62

Reference: Government Expeditor No.S.40/31709-E(II) of 26-5-1950.

The report of the Executive Engineer, Dharwar Division is not yet received in the matter. He has been expedited to submit his report early after final decision is taken by the Anti-Corruption Branch.

Superintending Engineer, S. C.

Ka 31/5

400/2/6

Through: the Chief Engineer to Government,
Public Works Department,
Bombay No.1., with compliments.

S-40/44548-

148

EB(II) P.W.D.

Hwait

S.A.S

P. W. D.
File No. S 40
Serial No. 44548

EB(II) P.W.D

The S.E., S.C. has been expedited under No. S-40/44548-E(II) dt. 14 July 50

EB(II)

Letter. 145 X 7

From

The Superintending Engineer,
Southern Circle.

To

The Secretary to Government,
Public Works Department,
B O M B A Y 1.

CONFIDENTIAL.
No.G-14.

Public Works Department,
Cr BELGAUM: 13th J u l y 1950.

Subject: Complaints against P.W.D. Staff at Dharwar.

Reference: Govt. Expeditor-No.S-40/44548-E(II), dated 6-7-1950.

2. The final decision has not yet been taken by the Anti Corruption Branch and hence the Executive Engineer Dharwar Division has not yet been able to submit any report. He is again being asked to expedite the Anti Corruption Branch for a report in the matter. On receipt of the information, necessary report will be submitted to Government.

Sd/-K.R.Akerkar,
Superintending Engineer, S.C.

GDT.

THROUGH the Chief Engineer to Govt. P.W.D.Bombay, with compliments.

Letter. 151

From

The Superintending Engineer,
Southern Circle.

To

The Secretary to Government,
Public Works Department,
B O M B A Y 1.

CONFIDENTIAL.
No.G-14.

Public Works Department,
BELGAUM: 13th J u l y 1950.

Subject: Complaints against P.W.D. Staff at Dharwar. P-66

Reference: Govt. Expeditor No.S-40/44548-E(II), dated 6-7-1950.

2. The final decision has not yet been taken by the Anti Corruption Branch and hence the Executive Engineer Dharwar Division has not yet been able to submit any report. He is again being asked to expedite the Anti Corruption Branch for their report in the matter. On receipt of the information, necessary report will be submitted to Government.

406/14.7

GDT.

Superintending Engineer, S.C.

THROUGH the Chief Engineer to Govt. P.W.D.Bombay, with compliments.

S-40/57730

152

EB(II). P.W.D.

Await

19.7.50.

19/7/50

Expedited under No. S-40/57301-E(II), dt. 21st Aug. 1950.

21.8.50.

P. T. O.
File No. S. 40
Serial No. 57301

21/8/50

19/7/50

7+ 153

Letter.

From

The Superintending Engineer,
Southern Circle.

To

The Secretary to Government,
Public Works Department,
B O M B A Y 1.

CONFIDENTIAL
No.G-14.

Public Works Department,
Belgaum: 25th August 1950.

Subject: Complaints against the P.W.D. Staff at Dharwar.

P-70

Reference: Govt. Expeditor No.S-40/57301-E(II) dated 21-8-1950.

2. Nothing is heard as yet by the Executive Engineer Dharwar Division from the Anti Corruption Branch and hence he has not been able to submit any report in the matter. He is being instructed to expedite again the Anti Corruption Branch and on receipt of the information necessary report will be submitted to Government.

2878

GDT. THROUGH---- Superintending Engineer, S.C.

S-40/70905.

THROUGH

the Chief Engineer to Government,
Public Works Department, Bombay,
with compliments.

EB(II) P.W.D.

Await

30.8.50.

30/8/50

P. W. D.
File No. S-40
Serial No. 70905

The S.E.S.C. has been expedited under No. S-40/70905-E(II), of the 3-10-50.

3/10/50.

EB(II)
28/8/50

28/8.

Confidential.
No.G-14.

Public Works Department,
Belgaum: 14th October, 1950.

From

The Superintending Engineer,
Southern Circle, Belgaum.

To

The Secretary to Government,
Public Works Department, Bombay No.1.

Subject :- Complaint against the Public Works Department Staff at Dharwar.

Reference: Government Expeditor No.S.40/70905-E(II) of 3-10-1950.

2. The Executive Engineer, Dharwar Division, was requested to expedite the Anti-Corruption Branch for a report on the above subject and his reply is still awaited. The Executive Engineer, Dharwar has again been expedited in the matter. On receipt of his reply, necessary report will be submitted to Government.

D.A. Nil.

GRM.13/10.

Superintending Engineer, S. C.

THROUGH: The Chief Engineer, Public Works Department. Bombay, with compliments

540

85682

E.B. (II)

Dlwd

Hindi

19/10/50

19/10/50

The score has been expedited under No 540/85682-E.B.(II) dt. the 19/12/50

19/12/50

19/12/50

85682

E.B. (II)

19/12/50

Confidential. Letter Public Works Department
No.G-14/11 Belgaum: 4th Dec.1950.

From

The Superintending Engineer,
Southern Circle, Belgaum.

To

The Secretary to Government,
Public Works Department, Bombay No.1.

Subject :- Complaint against the Public Works Department Staff at Dharwar.

Reference: Government Expeditor No.S-40/85682-E(II) of 22-11-1950.

2. The report called for from the Executive Engineer, Dharwar Division, in consultation with the Anti-Corruption Branch, is still awaited and he has again been expedited in the matter. Soon on receipt of his reply, necessary report will be submitted to Government.

D.A. Nil.

2/12. Superintending Engineer, S. C

Through: The Chief Engineer, Public Works Department; Bombay, with compliments.

Confidential. Letter Public Works Department,
No.G-14/, Belgaum: 15 Dec.1950.

From

The Superintending Engine
Southern Circle, Belgaum.

To

The Secretary to Government,
Public Works Department. Bombay No.1.

Subject :- Complaint against the Public Works Department Staff at Dharwar.

Reference: Government Expeditor No.S-40/85682-E(II) of 22-11-1950.

2. The report called for from the Executive Engineer, Dharwar Division, in consultation with the Anti-Corruption Branch, is still awaited and he has again been expedited in the matter. Soon on receipt of his reply, necessary report will be submitted to Government.

D.A., Nil.

2/12. Superintending Engineer. S. C.

Through: The Chief Engineer. Public Works Department, Bombay, with compliments.

S.40/99177

E.B.(II)

I await.

S.E. S.C. - expedited under No.

S.40/99177 E(II)

30 Jan 1951



77 155

Confidential.
No.G.14.

Public Works Department,
Belgaum: 10th February 1951.

To

The Chief Engineer to Government,
Public Works Department, BOMBAY.

Subject:- Complaint against the Public Works Department staff at Dharwar

Reference: Government expeditor p.76 No.S.40/99177-E(II), dated 30th January 1951.

---

2. The report called for from the Executive Engineer, Dharwar Division in this connection, in consultation with the Anti-Corruption Branch, is still awaited and the Executive Engineer is again being expedited in the matter. Soon on receipt of his reply, necessary report will be submitted to Government.

D.A.-Nil.

12.2.51

Superintending Engineer, S.C.

S.40/14000 160 78

E.B.(II) P. WD

Await.

MR 14/2/51

15/2

Supdt—Shown 12 units

P. W. D.
File No. S.40
Serial No. 14000

13/2

Issued 53 (11)
VS 24/3/51.

Shd 13/2

The S.E. S.C. expects ten units
No. S.40/14000 dt. the 24th March 1951.

MR 24/3/51

24/3

CONFIDENTIAL.
No.G-14.
To

Public Works Department,
Belgaum: 6th April 1951.

The District Superintendent of Police,
D H A R W A R.

Subject: Complaints against the P.W.D. Staff.

There is one case under investigation by the Anti Corruption Branch Police of Dharwar against Shri S.K. Latnekar, Deputy Engineer, now in charge of the Dharwar (B & R) Sub Division The case has been under investigation since about June 1948, but the result is not known as yet. I would, therefore request you kindly to let me know the result thereof, as Government is expediting repeatedly in the matter.

D.A. Nil.

Superintending Engineer, S.C.

Copy f.w.cs. to the Chief Engineer, Public Works Department, Bombay, with ref. to Government Expeditor No.S-40/14000-E(II) dated 24-3-1951.

2. In connection with the case against Shri N.A.M. Desai, Maistry a reference is invited to this office U.O.No.G-14

(confdl.) ...

(confdl.) dated 10-3-1951.

=====

E.B.(II)

Awan.

F.Pw.

The S.E.,S.C., expediting under No. S.40/31324-E dt. the 16th May 195

Letter.

From

The Superintending Engineer,
Southern Circle, Belgaum.

To

The Chief Engineer,
Public Works Department, BOMBAY 1.

Confidential.
No.G-14.

Public Works Department,
Belgaum: 28th May 1951.

Subject: Complaint against the Public Works Department Staff.

Reference: Govt.(P.W.D) Expeditor No.S-40/31324-F dated the 16th May 1951.

2. The result of investigation of the case is awaited from the District Superintendent of Police, Dharwar, who has already been reminded in the matter. The reference will be disposed of, as soon as the result of the investigation is intimated by the District Superintendent of Police.

GDT.

Superintending Engineer, S.C.

F. Br.

The S.E., S.C., expired under No. S.40/47110 F dt. the ~~2-7-1951~~ 2-7-51.

30/6/51.

The S.E.S.C. expired again under No. S.40/47110 F dt. the 19 July 1951.

Issued

F. Br.

Await

P D.
S40
47110

165 - 83

Letter.

Confidential
No.G-74.

Public Works Department,
Belgaum: 18th July 1951.

From

The Superintending Engineer,
Southern Circle,

To

The Chief Engineer,
Public Works Department, BOMBAY 1

Subject: Complaint against the Public Works Department Staff.

Reference: Govt, (P.W.D) Expeditor No.S-40/47110-F dated the 2nd July 1951.

2. The District Superintendent of Police, Dharwar who was requested to intimate the result of investigation in the case states that the Police Inspector to whom the case under reference was entrusted for investigation has been transferred to the Railways and a reference has been made to him for some information in the matter. On receipt of result of investiga-tion of the case from the D.S.P. a detailed report will be submitted to Government.

D.A. NIL.

GDT/18-7.

Superintending Engineer, S.C.
18/7/51

165

T.Br. I.P.W.D.

Await.

25-7-51.

25-7-51

Supdt.

Apl 1951

Clerk

Form 231

P. W. D.
File No. S. 40
Serial No. 63062

Clerk

19-7-51

Letter.

From

The Superintending Engineer,
Southern Circle.

To

The Chief Engineer,
Public Works Department, BOMBAY 1.

Confidential.
No.G-14.

Public Works Department,
Belgaum: 31st July 1951.

Subject: Complaint against the P.W.D. Staff at Dharwar.

Reference: Correspondence ending with this office letter No.G-14 (Confdl.) Dt. 18-7-51.

The District Superintendent of Police, Dharwar has since reported that no action is intended to be taken against Shri S.K. Latnekar, Deputy Engineer, as enquiries into the allegations made disclose that there is no case against him. The Inspector of Police to whom the case was entrusted for investigation has stated that documentary evidence did not support the allegations against Shri. Lathekar. The case papers are, therefore, being recorded.

D.A.:NIL.

GDT/31-7. Superintending Engineer, S.C.

S. 40/67463

168

F. Br.

P. & D.

In view of the circumstances explained by the S/S these papers may now be recorded.

S 40/63062

R. W. D.
File No. S. 40
Serial No. 67463.